




# SHERWRITE

## Dry Erase Wallcoverings

	<p>MAGNETIC RECEPTIVE</p> <p>SW-MAG60-WC (Projection and Writing Only 60" Wide)</p> <p>SW-MAG48-WC (Projection and writing only 48" Wide)</p>
	<p>PROJECTION CAPABLE</p> <p>SW-PC White (Non-magnetic, 60" wide)</p>
	<p>WRITING ONLY</p> <p>SW-WO White (Non-magnetic, 60" wide)</p>

### FEATURES

- Class A product that installs just like a Type II vinyl wallcovering.
- Easily maintained writing surface, tested to stand up to harsh cleaning chemicals.
- Ten-year limited warranty.
- Accessory package includes Perimeter Trim, Marker Tray and Tac Strip.
- Available in Magnetic, Projection, and Writing Only.



### EASE OF INSTALLATION

Installs just like a Type II commercial wall covering. Normally railroded to avoid vertical seams on the writing surface.

### EASY TO MAINTAIN

Dry erase markings are removed with a soft cloth or eraser. Expo cleaner can be used for any resistant markings. Surface should be thoroughly cleaned periodically for best performance and appearance. DO NOT USE any abrasive cleaning tools or harsh solvents. Writing surface could be permanently damaged if instructions are not followed.

### TEN YEAR WARRANTY

Sherwrite Dry Erase Wall Covering is guaranteed for 10 years from installation date. With proper use and maintenance, our product will perform for a minimum of 10 years. See detailed cleaning and maintenance instructions for proper care.

# SHERWRITE

Dry Erase Wallcoverings



## SPECIFICATIONS

Total Weight	Minimum Type II
Width	Projection 60" Writing Only 60" Magnetic 48" Magnetic 60"
Flame Resistance	Class A/I
Tensile and Tear	Meets all Type II standards
Solvent Resistance	Class 5 (ASTM D4752 using Expo Blue Cleaner)

## FEATURES

- Dry erase marks clean easily
- Large writing area
- Simple installation like standard commercial wallcovering
- Class A fire rated
- Resistant to common cleaners
- 10-year limited warranty
- Cost effective
- Practical alternative to whiteboards
- Ideal for converting existing chalkboards
- Available in Magnetic, Projection and Writing Only

## CARE & MAINTENANCE

Prior to initial use, clean dry erase surface thoroughly with Expo cleaner. Follow with clean, warm water applied with a soft towel. Periodically clean the entire writing surface to extend the life and look of this product. Expo Bold Color/Original Ink markers work best on Sherwrite Dry Erase Walls.

**WARNING:** Do not use any type of abrasive cleaners or sharp-edged tools on the dry erase surface.

## INSTALLATION

Installs like a standard Type II commercial wallcovering. Smoothing tools must be wrapped in a soft cloth or towel to avoid damage to the dry erase surface. Request detailed installation instructions.

Visit [www.Sherwrite.com](http://www.Sherwrite.com) for Specifications, Installation Instructions and more.

# SHERWRITE

Dry Erase Wallcoverings

## ACCESSORIES

SW - Snap Trim



SW - Marker Tray



SW - Cork Trim



Micro-Fiber Erasers



J-Cap Trim



Expo Markers & Spray Cleaner



### EASE OF INSTALLATION

Sherwrite Wallcovering installs just like a Type II commercial wallcovering. Normally railroaded to avoid vertical seams in the writing surface.

### EASY TO MAINTAIN

Dry erase markings are removed with a soft cloth or eraser. Expo cleaner can be used for any resistant markings. Surface should be thoroughly cleaned periodically for best performance and appearance. **DO NOT USE** any abrasive cleaning tools or harsh solvents. Writing surface could be permanently damaged if instructions are not followed.

### TEN YEAR WARRANTY

Our Dry Erase products are guaranteed for 10 years from installation date. With proper use and maintenance our product will perform for a minimum of ten years. See detailed cleaning and maintenance instructions for proper care.



## CARE AND MAINTENANCE

### **BEFORE WRITING ON DRY ERASE SURFACE**

Before initial use of the writing surface the material must be cleaned with Expo Cleaner and a soft cloth, and then towell dried. Follow with clean water and a soft cloth. Use another clean towell to dry.

### **MARKERS**

We recommend the use of Expo Bold Color/Original Ink markers.

### **DAILY CLEANING**

Micro-fiber erasers or cloths are recommended to remove dry erase markings. Change or clean the eraser/cloth often to avoid leaving excessive marker residue on the surface. For cleaning marker residue build up, use Expo brand Whiteboard Cleaner and a soft cloth. Projection Capable items have a matte/low-glare dry erase surface that requires more frequent cleaning than Writing Only/Gloss Material. No markings will be permanent, but it may be necessary to use Expo Cleaner to bring these Projection Capable products back to "like new" condition.

Do not use soapy water to clean the surface, as it will leave behind a film that severely interferes with erasing. This is true of any other cleaning agent that leaves a filmy residue behind.

### **LONG TERM CARE**

Clean the entire surface on a regular basis to ensure the ultimate performance and appearance of the product over the long term.

**Do not use any abrasive cleaners/cleaning tools, erasers with hard plastic edges/housing or pointed writing instruments on the dry erase surface.**

**Visit [www.Sherwrite.com](http://www.Sherwrite.com) for Specifications, Installation Instructions and more.**

# Sherwrite Dry Erase Wallcovering

Description	Usage	Color	Gloss Level	Width/Roll Size	Warranty
Dry Erase Wall Covering 60" Wide #SW-MAG60-WC	Magnetic and Projection Capability Dry Erase Writing	White	Projection & Write Only	60-inches Wide  Maximum Roll Length 50-feet	10 years
Dry Erase Wall Covering 48" Wide #SW-MAG48-WC	Magnetic and Projection Capability Dry Erase Writing	White	Projection & Write Only	48-inches wide  Maximum Roll Length 50-feet	10 years
Dry Erase Wall Covering 60" Wide #SWPC-White	Projection Capability, Dry Erase Writing	White	Low Gloss (Projection)	60-inches wide  Maximum Roll Length 50-feet	10 years
Dry Erase Wall Covering 60" Wide #SWWO-White	Dry Erase Writing	White	High Gloss	60-inches wide  Maximum Roll Length 50-feet	10 years
Dry Erase Paint #SW-Snap-1	Dry Erase Writing	Any Color Specified	Mid Gloss	Roll on Coating/200 sf per quart	10 years